

See discussions, stats, and author profiles for this publication at: <https://www.researchgate.net/publication/321428630>

# Central American Spider Monkey *Ateles geoffroyi* Kuhl, 1820: Mexico, Guatemala, Nicaragua, Honduras, El Salvador...

Chapter · December 2017

CITATIONS

0

READS

18

7 authors, including:



[Pedro Guillermo Mendez-Carvajal](#)

Fundacion Pro-Conservacion de los Primates...

13 PUBLICATIONS 24 CITATIONS

[SEE PROFILE](#)



[Gilberto Pozo-Montuy](#)

Conservación de la Biodiversidad del Usuma...

32 PUBLICATIONS 202 CITATIONS

[SEE PROFILE](#)

Some of the authors of this publication are also working on these related projects:



Connectivity of priority sites for primate conservation in the Zoque Rainforest Complex in Southeastern Mexico [View project](#)



Regional Monitoring System: communitarian participation in surveying Mexican primate's population (*Ateles* and *Alouatta*) [View project](#)

# Primates in Peril

The World's 25 Most Endangered Primates  
2016–2018



Edited by

Christoph Schwitzer, Russell A. Mittermeier, Anthony B. Rylands, Federica Chiozza,  
Elizabeth A. Williamson, Elizabeth J. Macfie, Janette Wallis and Alison Cotton



# Primates in Peril

## The World's 25 Most Endangered Primates 2016–2018

Edited by  
Christoph Schwitzer, Russell A. Mittermeier,  
Anthony B. Rylands, Federica Chiozza, Elizabeth A. Williamson,  
Elizabeth J. Macfie, Janette Wallis and Alison Cotton

Illustrations by Stephen D. Nash

IUCN SSC Primate Specialist Group (PSG)  
International Primatological Society (IPS)  
Conservation International (CI)  
Bristol Zoological Society (BZS)

**Published by:** IUCN SSC Primate Specialist Group (PSG), International Primatological Society (IPS), Conservation International (CI), Bristol Zoological Society (BZS)

**Copyright:** ©2017 Conservation International  
All rights reserved. No part of this report may be reproduced in any form or by any means without permission in writing from the publisher.

Inquiries to the publisher should be directed to the following address:  
Russell A. Mittermeier, Chair, IUCN SSC Primate Specialist Group,  
Conservation International, 2011 Crystal Drive, Suite 500, Arlington, VA 22202, USA.

**Citation (report):** Schwitzer, C., Mittermeier, R.A., Rylands, A.B., Chiozza, F., Williamson, E.A., Macfie, E.J., Wallis, J. and Cotton, A. (eds.). 2017. *Primates in Peril: The World's 25 Most Endangered Primates 2016–2018*. IUCN SSC Primate Specialist Group (PSG), International Primatological Society (IPS), Conservation International (CI), and Bristol Zoological Society, Arlington, VA. 99 pp.

**Citation (species):** Salmons, J., Patel, E.R., Chikhi, L. and Banks, M.A. 2017. *Propithecus perrieri* (Lavauden, 1931). In: C. Schwitzer, R.A. Mittermeier, A.B. Rylands, F. Chiozza, E.A. Williamson, E.J. Macfie, J. Wallis and A. Cotton (eds.), *Primates in Peril: The World's 25 Most Endangered Primates 2016–2018*, pp. 40-43. IUCN SSC Primate Specialist Group (PSG), International Primatological Society (IPS), Conservation International (CI), and Bristol Zoological Society, Arlington, VA.

**Layout and**

**illustrations:** © Stephen D. Nash, Conservation International, Arlington, VA, and Department of Anatomical Sciences, Health Sciences Center, Stony Brook University, Stony Brook, NY, USA.

**Available from:** Jill Lucena, Conservation International, 2011 Crystal Drive, Suite 500, Arlington, VA 22202, USA.  
E-mail: [j.lucena@conservation.org](mailto:j.lucena@conservation.org)  
Website: [www.primate-sg.org](http://www.primate-sg.org)

**Printed by:** Gemini West, Bristol, UK

**ISBN:** 978-0-692-96094-3

**Front cover photo:** Gee's golden langur (*Trachypithecus geei*). Photo © Dilip Chetry

**Back cover photo:** White-thighed colobus (*Colobus vellerosus*). Photo © Luke Larter

# Contents

<b>Acknowledgements</b> .....	<b>iv</b>
<b>The World's 25 Most Endangered Primates: 2016–2018</b> .....	<b>1</b>
<b>Africa</b> .....	<b>10</b>
Mountain galago ( <i>Paragalago orinus</i> ) .....	11
Roloway monkey ( <i>Cercopithecus diana roloway</i> ) .....	14
White-thighed colobus ( <i>Colobus vellerosus</i> ) .....	18
Niger Delta red colobus ( <i>Piliocolobus epieni</i> ) .....	22
Grauer's gorilla ( <i>Gorilla beringei graueri</i> ) .....	25
<b>Madagascar</b> .....	<b>29</b>
Gerp's mouse lemur ( <i>Microcebus gerpi</i> ) .....	30
Lac Alaotra gentle lemur ( <i>Hapalemur alaotrensis</i> ) .....	32
Ring-tailed lemur ( <i>Lemur catta</i> ) .....	35
James' sportive lemur ( <i>Lepilemur jamesorum</i> ) .....	38
Perrier's sifaka ( <i>Propithecus perrieri</i> ) .....	40
Aye-aye ( <i>Daubentonia madagascariensis</i> ).....	44
<b>Asia</b> .....	<b>47</b>
Javan slow loris ( <i>Nycticebus javanicus</i> ) .....	48
Pig-tailed snub-nosed langur ( <i>Simias concolor</i> ) .....	52
Gee's golden langur ( <i>Trachypithecus geei</i> ) .....	55
Golden-headed langur or Cat Ba langur ( <i>Trachypithecus poliocephalus poliocephalus</i> ) .....	59
Tonkin snub-nosed monkey ( <i>Rhinopithecus avunculus</i> ) .....	61
Crested macaque ( <i>Macaca nigra</i> ) .....	64
Western purple-faced langur ( <i>Semnopithecus vetulus</i> ) .....	68
Hainan gibbon ( <i>Nomascus hainanus</i> ) .....	72
Bornean orangutan ( <i>Pongo pygmaeus</i> ).....	75
<b>Neotropics</b> .....	<b>79</b>
Caqueta titi monkey ( <i>Plecturocebus caquetensis</i> ).....	80
Brown-headed spider monkey ( <i>Ateles fusciceps</i> ) .....	83
Ka'apor capuchin ( <i>Cebus kaapori</i> ) .....	88
Geoffroy's spider monkey ( <i>Ateles geoffroyi</i> ) .....	91
Northern brown howler ( <i>Alouatta guariba guariba</i> ) .....	96
<b>Editors' addresses</b> .....	<b>100</b>
<b>Contributors' addresses</b> .....	<b>100</b>



## Central American Spider Monkey

*Ateles geoffroyi* Kuhl, 1820

Mexico, Guatemala, Nicaragua, Honduras, El Salvador, Costa Rica, Panama  
(2016)

Pedro G. Méndez-Carvajal, Melissa Rodríguez-Menjívar, Gilberto Pozo Montuy, Óscar M. Chaves, Gabriela Ponce,  
Bonarge A. Rodríguez-Beitia & Héctor Portillo-Reyes

Central American spider monkeys *Ateles geoffroyi* are distributed in Mexico, Guatemala, Nicaragua, Honduras, El Salvador, Costa Rica and Panama (Rylands *et al.* 2006). They are considered to be Critically Endangered because of habitat loss and fragmentation, and they are also heavily hunted for food and for the pet trade (Smith 2005). Kellogg and Goldman (1944) identified nine subspecies, but three have since been synonymized – *pan* Schlegel, 1876, and *yucatanensis* Kellogg and Goldman, 1944 (synonyms of *vellerosus* Gray, 1866) and *panamensis* Kellogg and Goldman, 1944 (synonym of *ornatus* Gray, 1870) (Rylands *et al.* 2006). Recent taxonomic studies using mitochondrial DNA have validated other subspecies which are mentioned here, but more information on identification and sample locations is needed to corroborate these conclusions (Ruiz-García *et al.* 2016).

The genus *Ateles* has long been considered the most threatened in the Neotropics (Mittermeier *et al.* 1989). *Ateles geoffroyi* has a long gestation period (226–232 days) compared to other Atelinae, such as *Alouatta*, *Brachyteles* and *Lagothrix* (Campbell 2000). It also spends more time foraging, compared to other Central American primates (Chapman *et al.* 1989), with 69–91% of fruit being a major dietary requirement (Campbell 2000). Spider monkeys have large home ranges and are more vulnerable than *Alouatta* when adapting to fragmented conditions (Méndez-Carvajal 2013). In addition to its ecological requirements, it is one of the main game species in indigenous regions (Smith 2005). This species possesses one of the larger distributions compared to other non-human primates in the Mesoamerican region, but it is threatened by high deforestation (McGrath 2014).

### *Ateles geoffroyi azuerensis* (CR)

This subspecies was initially described as *Ateles azuerensis* Bole 1937, and was studied for the first time in its type locality (La Vaca, and Coto Region),







Chiriqui Province, by Carpenter 1935. The actual distribution and total population have been assessed by the Fundación Pro-Conservación de los Primates Panameños (FCPP), a Panamanian NGO that has been monitoring this primate since 2001. *Ateles g. azuerensis* has been extirpated in Chiriqui Province, west, north Veraguas and Herrera Province, and only appears to be present in the south-western Veraguas, and Los Santos Province (only on the Azuero Peninsula), in the southern areas near the Cerro Hoya National Park, and in the fragmented landscape between Punta Duarte, La Barra, Guanico, Quema, La Tronosa Forest Reserve, La Miel, and Pedasi. Only 10 subgroups and five complete groups have been detected, with a mean of 3.8 individuals/subgroup, SE  $\pm 0.6$  (range 2–7) and a mean of 12.5 individuals/group, SE  $\pm 3.7$  (range 10–22), with densities of 1.4 individuals/km<sup>2</sup> (for fragmented habitats), and an approximate total population of <150 individuals (Méndez-Carvajal and Ruiz-Bernard 2009; Méndez-Carvajal 2013). Conservation measures led by FCPP involve community volunteers from Azuero, environmental education and the creation of an educational Azuero primates guide, as well as monitoring diversity and surveying the Azuero Peninsula (Méndez-Carvajal *et al.* 2013).

### *Ateles geoffroyi frontatus* (EN)

This primate was described by Kellogg and Goldman (1944), occurring in northern Nicaragua to the northwestern parts of Costa Rica, at Río Principolca, Tuma and Uluce. It has also been recorded in Metagalpa and the Nicaraguan highlands (Allen 1914; Cuarón *et al.* 2008).

### *Ateles geoffroyi geoffroyi* (CR)

Kellogg and Goldman (1944) described this subspecies from San Juan del Norte, Martina Bay, southeastern Nicaragua, and it probably extends into northern Costa Rica (Cuarón *et al.* 2008).



The subspecies of the Central American Spider Monkey (*Ateles geoffroyi*) (Illustrations: Stephen D. Nash)

### ***Ateles geoffroyi griseus* (DD)**

Kellogg and Goldman (1944) reported this subspecies from the valley of the Río Tuira, Serranía del Sapo, Pirre, Tucuti in Darien Province, Panama (Elliot 1913; Gray 1865; Sclater 1875); it also occurs in Baudó, north-western Colombia (Cuarón *et al.* 2008). Recent studies reported that *A. g. griseus* can no longer be found in their original area (Tuira River), nor in Chucanti or the Maje Mountain Chain (Méndez-Carvajal 2012). However, the presence/absence of this primate from Panama is still in review (Méndez-Carvajal *et al.* 2016). A documentary related to the expedition to find *A. g. griseus* has been filmed by Barbara Réthoré and Julien Chapuis from Conserv-action and NatExplorers, in support of FCPP projects and the re-discovery of this subspecies.

### ***Ateles geoffroyi ornatus* (CR)**

This subspecies was identified for the first time in Cerro Bruja, Colon Province of Panama as *Ateles geoffroyi panamensis* by Goldman (1911, 1914). *Ateles g. panamensis* is still valid in Panama following Kellogg and Goldman (1944), Rylands *et al.* (1997) and Méndez-Carvajal *et al.* (2016). Its natural range is in Costa Rica and Panama. In Costa Rica, it is known to be in the Osa Peninsula, Carara Biological Reserve, Corcovado National Park (Matamoros and Seal 2001), and Cerro Chirripo, Cantón de Pérez Zeledón, at 1700 m asl, with a density of 0.012 individuals/km<sup>2</sup> (Rodríguez-Beitia pers. obs.). In Panama, it is present on the northern side of the Caribbean coast, in the low elevations and highlands of Bocas del Toro, the northern coast of Veraguas Province, Coclé (rare in Coclé and Donoso; Méndez-Carvajal, pers. obs.), Portobelo National Park, and San Blas mountain chain (Méndez-Carvajal *et al.* 2016). An isolated population has been introduced in Barro Colorado Island (Campbell 2000). In Panama, FCPP initiated a long-term monitoring project in 2010 in the San Blas mountain chain to understand better their actual distribution and population densities (Méndez-Carvajal 2014).

### ***Ateles geoffroyi vellerosus* (CR)**

This subspecies is present in Mexico, Belize, Guatemala, Honduras and El Salvador (Cuarón *et al.* 2008). The population density of *A. g. vellerosus* is between 2.9 individuals/km<sup>2</sup> and 9.3 individuals/km<sup>2</sup> at Montes Azules Biosphere Reserve in Marqués Comillas ejido, Chiapas, Mexico (Chaves *et al.* 2011). It also occurs in northern Veracruz, Oaxaca, Tamaulipas, Chiapas, Tabasco, Campeche, Quintana Roo and some other

regions on the Yucatan Peninsula (Chaves *et al.* 2011). It occurs in densities of 2 individuals/km<sup>2</sup> to 12 individuals/km<sup>2</sup> (Pozo-Montuy *et al.* 2015). In Guatemala, it occurs in Petén, Alta Verapaz, Baja Verapaz, Izabal, Sololá, Huehuetenango and Quiché (Ponce-Santizo *et al.* 2009). It has been reported in El Salvador at Chaguantique and El Tercio (Usulután Department), and Montecristo, Normandía, Cerro el Mono y Conchagua (Rodríguez-Menjívar 2007). *Ateles g. vellerosus* is threatened by forest fires, the pet trade, habitat fragmentation due to farming activities such as oil palm, and road construction (McGrath 2014). Some conservation measures to protect this taxon include environmental education and building canopy bridges to facilitate canopy connection and reduce the number of animals killed on the roads. These activities have been implemented by the Mexican Primates Regional Monitoring System led by the project Conservación de la Biodiversidad del Usumacinta A.C. since 2013 (Pozo-Montuy *et al.* 2015). The Maya Biosphere Reserve (MBR) in the north of Guatemala, with 2.2 million ha, constitutes the largest and most important habitat for the subspecies (68.6% of its original forests). Conservation actions are maintained by several organizations to preserve this important forest block in Guatemala (Ponce-Santizo *et al.* 2009).

## **References**

- Allen, J. A. 1914. New South American monkeys. *Bulletin of the American Museum of Natural History* 33: 647–655.
- Bole, B. P. 1937. *Ateles azuerensis*. *Cleveland Museum of Natural History Science Publications* 7: 149.
- Campbell, C. J. 2000. Fur rubbing behavior in free-ranging black-handed spider monkeys (*Ateles geoffroyi*) in Panama. *American Journal of Primatology* 51: 205–208.
- Carpenter, C. R. 1935. Behaviour of red spider monkeys in Panama. *Journal of Mammalogy* 16: 171–180.
- Chaves, Ó. M., K. E. Stoner and V. Arroyo-Rodríguez. 2011. Seasonal differences in activity patterns of Geoffroy's spider monkeys (*Ateles geoffroyi*) living in continuous and fragmented forests in southern Mexico. *International Journal of Primatology* 32: 960–973.
- Cuarón, A. D., A. Morales, A. Shedden, E. Rodríguez-



- Luna, P. C. de Grammont and L. Cortés-Ortiz. 2008. *Ateles geoffroyi*. The IUCN Red List of Threatened Species 2008 <http://dx.doi.org/10.2305/IUCN.UK.2008.RLTS.T2279A9387270.en> Downloaded on 11 March 2017.
- Elliot, D. G. 1913. *A Review of the Primates*. Monograph Series. Volumes 1 and 2. American Museum of Natural History, New York.
- Gray, J. E. 1865. Notice of some new species of spider monkeys (*Ateles*) in the collection of the British Museum. *Proceedings of the Zoological Society of London* 1865: 732–733.
- Goldman, E. A. 1914. Descriptions of five new mammals from Panama. *Smithsonian Miscellaneous Collections* 63(5): 1–7.
- Goldman, E. A. 1920. Mammals of Panama. *Smithsonian Miscellaneous Collections* 69(2): 1–309.
- Kellogg, R. and E. A. Goldman. 1944. Review of the spider monkeys. *Proceedings of the United States National Museum, Smithsonian Institution* 96: 1–45.
- McGrath, M. 2014. Drug trafficking is speeding deforestation in Central America. Science & Environment. BBC. Retrieved 9 December 2015.
- Méndez-Carvajal, P. G. and I. Ruiz-Bernard. 2009. Estudio poblacional del mono araña de Azuero (*Ateles geoffroyi azuerensis*), Península de Azuero, Panamá. *Tecnociencia* 11(1): 24–44.
- Méndez-Carvajal, P. G. 2012. Preliminary primate survey at the Chucanti Nature Reserve, Darien Province, Republic of Panama. *Mesoamericana* 16(3): 22–29.
- Méndez-Carvajal, P. G. 2013. Population size, distribution and conservation status of howler monkeys (*Alouatta coibensis trabeata*) and spider monkeys (*Ateles geoffroyi azuerensis*) on the Azuero Peninsula, Panama. *Primate Conservation* (26): 3–15.
- Méndez-Carvajal, P. G., I. Ruiz-Bernard, Y. González, K. Sánchez, V. Franco, S. Silva and G. De León. 2013. Strategies for the conservation of two Critically Endangered, endemic primates in Panama. *Primate Conservation* (27): 13–21.
- Méndez-Carvajal, P. G. 2014. The Orion camera system, a new method for deploying camera traps in tree canopy to study arboreal primates and other mammals: a case study in Panama. *Mesoamericana* 18(1): 9–23.
- Méndez-Carvajal, P. G., J. M. Setchell and R. Hill. 2016. Factors limiting the distribution of Panamanian primates: an ecological niche modelling approach. International Primatological Society, and American Society of Primatologists, Conference. Chicago, USA.
- Mittermeier, R. A., W. G. Kinzey and R. B. Mast. 1989. Neotropical primate conservation. *Journal of Human Evolution* 18: 597–610.
- Ponce-Santizo, G., R. García, J. Moreira, R. Balas, G. Ruano, M. Mérida, F. Córdova, V. Méndez, Y. López, E. Castellanos, M. Burgos and R. Lima. 2009. Abundancia y Densidad de Primates en la Concesión Forestal Yaloch, Reserva de Biosfera Maya, Guatemala. Estudio Piloto. Reporte interno Wildlife Conservation Society- Programa para Guatemala, NY.
- Pozo-Montuy G., B. Pinacho Guendulain, A. Bonilla Alcacer, L. F. Martínez Jiménez, L. A. Domínguez Martínez and G. Ramos Fernández. 2015. Reporte técnico del Proyecto Fortalecimiento de Acciones de Conservación de Primates y su Hábitat en el Complejo Selva Zoque. Conservación de la Biodiversidad del Usumacinta A.C., Comisión Nacional de Áreas Naturales Protegidas – Programa de Conservación de Especies en Riesgo 2015. Tuxtla Gutiérrez, Chiapas, México.
- Rodríguez-Menjívar, M. 2007. Monitoreo Poblacional de Mono Araña (*Ateles geoffroyi*) en el Área Natural Protegida Normandia, Usulután, El Salvador. Centro de Cooperación Integral sobre Tecnologías Alternativas, El Salvador.
- Ruiz-García, M., N. Lichilín, P. Escobar-Armel, G. Rodríguez and G. Gutierrez-Espeleta. 2016. Historical genetic demography and some insights into the systematics of *Ateles* (Atelidae, Primates) by means of diverse mitochondrial genes. In: *Phylogeny, Molecular Genetics, Evolutionary Biology and Conservation of the Neotropical Primates*, M. Ruiz-García and J. M. Shostell (eds.). Nova Science Publisher Inc., New York.

Rylands, A. B., R. A. Mittermeier and E. Rodríguez-Luna. 1997. Conservation of Neotropical primates: threatened species and an analysis of primate diversity by country and region. *Folia Primatologica* 68: 134–160.

Rylands, A. B., C. P. Groves, R. A. Mittermeier, L. Cortés-Ortiz and J. J. Hines. 2006. Taxonomy and distributions of Mesoamerican primates. In: *New Perspectives in the Study of Mesoamerican Primates*, A. Estrada, P. A. Garber, M. M. Pavelka and L. Luecke (eds.), pp. 29–79. Springer, New York.

Sclater, P. 1875. *Ateles melanochir*. *Proceedings of the Zoological Society of London* 1875: 419.

Smith, D. A. 2005. Garden game: shifting cultivation, indigenous hunting and wildlife ecology in western Panama. *Human Ecology* 33: 505–537.



ISBN 978-0-692-96094-3

50795>



9 780692 960943